

OTAM[®]





Equipamentos de Ventilação

GABINETE PARA FORRO

Linha GRB





CARACTERÍSTICAS



Os gabinetes de ventilação modelo GRB são compactos, utilizam construção com motor acoplado diretamente ao rotor, perfeito para aplicações com pouco espaço. A versão sem filtros é utilizada comumente como exaustor, enquanto as versões com filtros são utilizadas como insufladores. São construídos em chapa galvanizada, com vedação na tampa de acesso e com motores monofásicos. Além de silenciosos, possuem baixo consumo de energia, podendo ser instalados na vertical ou horizontal.

Saída elétrica à esquerda.

Saída elétrica à direita.



hospitais



hotelaria






escritórios



locais comerciais

DIMENSÕES



GRB	A	B	C	ØD	E	F
100	559	380	176	100	532	298
125	559	380	176	125	532	298
150	709	420	236	150	682	338
200	759	470	256	200	732	388
250	809	532	306	250	782	450

CARACTERÍSTICAS TÉCNICAS

GRB	MOTOR AC MONOFÁSICO							
	Tipo	Tensão	50 Hz			60 Hz		
			RPM	Potência (W)	Faixa de Operação	RPM	Potência (W)	Faixa de Operação
100	IP 44 CL.B	230	2580	61	-40° a 55° C	2770	84	-40° a 45° C
125	IP 44 CL.B	230	2580	61	-40° a 55° C	2770	84	-40° a 45° C
150	IP 44 CL.F	230	2600	145	-40° a 70° C	2960	205	-40° a 70° C
200	IP 44 CL.F	230	2688	192	-40° a 85° C	2985	250	-40° a 65° C
250	IP 44 CL.F	230	2693	303	-40° a 85° C	2972	395	-40° a 40° C

Os gabinetes de ventilação modelo GRB podem trabalhar sem filtros, ou com um estágio de filtragem G4 ou com dois estágios de filtragem G4 + M5 ou G4 + F8.

GRB	DIMENSÕES DOS FILTROS	
	G4	M5 / F8
100	346 x 170 x 25	346 x 170 x 50
125	346 x 170 x 25	346 x 170 x 50
150	386 x 230 x 25	386 x 230 x 60
200	436 x 250 x 50	436 x 250 x 60
250	498 x 300 x 50	498 x 300 x 60

GRB	PERDA DE CARGA DOS FILTROS					
	G4 (Plano Sintético)		M5 (Plissado)		F8 (Plissado)	
	Inicial (Pa)	Final (Pa)	Inicial (Pa)	Final (Pa)	Inicial (Pa)	Final (Pa)
100	59	250	41	250	62	350
125	59	250	41	250	62	350
150	73	250	51	250	81	350
200	97	250	68	250	101	350
250	108	250	75	250	89	350



S&P BRASIL VENTILAÇÃO LTDA

Av. Francisco Silveira Bitencourt, 1501
Porto Alegre/RS - Tel. 55 51 3349 6363

Filial: São Paulo/SP - Tel. 55 11 3539 5313

www.solerpalau.com.br

Soler&Palau  **Ventilation Group**

The logo graphic for Soler&Palau features a stylized 'S' and 'P' formed by two overlapping white curved lines, one on the left and one on the right, set against a dark red background.